



- LEGEND**
- Proposed Drainage Areas
  - Kenny Drain Flow Node
  - Catchment ID
  - Drainage Area
  - Storm Sewer
  - Kenny Drain Pond Locations

- SWM CRITERIA FOR KENNY DRAIN**
- QUALITY CONTROL TO MOE MARCH 2003 SWM POND ENHANCED LEVEL OF PROTECTION FOR ALL DEVELOPING AND REDEVELOPING LANDS IN KENNY DRAIN WATERSHED.
  - QUANTITY CONTROL (POST TO PRE-DEVELOPMENT) FOR ALL LANDS SOUTH OF 26TH STREET EAST.
  - PROPOSED CASH IN LIEU OF QUANTITY CONTROL PROTECTION PONDS NORTH OF 26TH STREET EAST TO ASSIST WITH EROSION PROTECTION WORKS.
  - OIL GRIT SEPARATOR TO ENHANCED LEVEL OF PROTECTION FOR SITES WITHOUT SWM PONDS FOR SITE AREAS GENERALLY LESS THAN 5HA.

AREAS ARE REFERENCED FROM SURFACE WATER MANAGEMENT REPORT ANDPRT SUBDIVISION 16TH AVE. E. CITY OF OWEN SOUND PREPARED BY GAMSBY AND MANNEROW

1. This drawing is the exclusive property of R. J. Burnside & Associates Limited and the reproduction of any part without prior written consent of this office is strictly prohibited.

2. The contractor shall verify all dimensions, levels, and datums on site and report any discrepancies or omissions to this office prior to construction.

3. This drawing is to be read and understood in conjunction with all other plans and documents applicable to this project.

4. Do not scale the drawings.

No.	Issue / Revision	Date
1.	Draft Submission.	October 15, 2007
2.	Final Submission.	January 2008

**BURNSIDE**

R. J. Burnside & Associates Limited  
 3 Rosell Crescent, Collingwood, Ontario  
 telephone (705) 446-0515 fax (705) 446-2399  
 web www.burnside.com

Client  
**CITY OF OWEN SOUND**  
 808 SECOND AVENUE E.  
 OWEN SOUND, ONTARIO  
 N4K 2H4

Drawing Title		Drawing No.
<b>KENNY DRAIN PROPOSED SWM PLAN</b>		
Drawn By J.D.R.	Checked By D.M.	Project No. MCG 10665
Scale 1:5,000		